RICOH

SAFETY DATA SHEET

1. Identification

Product identifier RICOH Garment Ink Cartridge M Type P1

Other means of identification

SDS No. 342817

Recommended use The Image Formation of Printing Machine or Copier. ink product Ink Cartridge

Recommended restrictions No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Company name Ricoh USA, Inc.

DepartmentEnvironmental Sustainability and Product ComplianceAddress2 Gatehall Drive, Suite 204 Parsippany, NJ 07054, U.S.A.Phone1-973-882-2000 or 1-973-882-5218 (For product information)

Emergency Contact 1-800-336-6737

E-mail environmentinfo@ricoh-usa.com

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------------------------|--------------------------|--------------|-------|
| Glycol | | Confidential | 10-30 |
| Glycerol | | 56-81-5 | 7-13 |
| Diethylene glycol monobutyl ether | | 112-34-5 | 1-5 |
| Pigment | | Confidential | 1-7 |
| Water | | 7732-18-5 | 30-60 |

Composition comments This product does not contain any of the following RoHS substances as ingredients. Cadmium,

Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE), Phthalate esters (DEHP, BBP, DBP, and DIBP), SVHC (substances of very

high concern: published by ECHA).

4. First-aid measures

Inhalation Move to fresh air. Get medical attention, if needed.

Skin contact Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical

advice/attention.

Eye contact Rinse with plenty of water. If irritation persists get medical attention. Ingestion

Rinse mouth thoroughly. Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

Not available.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water. Foam. Dry chemicals. Carbon dioxide (CO2).

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Methods and materials for containment and cleaning up Wipe up with absorbent material (e.g. cloth, fleece). For waste disposal, see section 13 of the

SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not use in areas without adequate ventilation. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities Store at 5 - 35 °C and protect from sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

| US. OSHA Table Z-1 Limits for Air | r Contaminants (29 CFR 1910.1000) |
|-----------------------------------|-----------------------------------|
| Components | Type |

| Components | Туре | Value | Form |
|--|--------------|------------|-------------------------------|
| Acetone (CAS 67-64-1) | PEL | 2400 mg/m3 | |
| | | 1000 ppm | |
| Glycerol (CAS 56-81-5) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| US. OSHA Table Z-3 (29 CFR 1910. | 1000) | | |
| Components | Туре | Value | Form |
| Glycerol (CAS 56-81-5) | TWA | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| | | 50 mppcf | Total dust. |
| | | 15 mppcf | Respirable fraction. |
| US. ACGIH Threshold Limit Values | ; | | |
| Components | Туре | Value | Form |
| Acetone (CAS 67-64-1) | STEL | 500 ppm | |
| | TWA | 250 ppm | |
| Diethylene glycol monobutyl ether (CAS 112-34-5) | TWA | 10 ppm | Inhalable fraction and vapor. |
| US. NIOSH: Pocket Guide to Chem | ical Hazards | | |
| Components | Туре | Value | |
| Acetone (CAS 67-64-1) | TWA | 590 mg/m3 | |
| | | | |

Value Components **Type**

250 ppm

Biological limit values

ACGIH Biological Exposure Indices

| Components | Value | Determinant | Specimen | Sampling Time |
|-----------------------|---------|-------------|----------|---------------|
| Acetone (CAS 67-64-1) | 25 mg/l | Acetone | Urine | * |

* - For sampling details, please see the source document.

Appropriate engineering

Provide adequate ventilation.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear appropriate protective goggles.

Skin protection

Hand protection Wear suitable gloves.

Other Wear suitable protective clothing. Respiratory protection Wear suitable respiratory protection.

Thermal hazards Not applicable.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Not available. Color Magenta

Slight characteristic odor Odor

Not available. **Odor threshold** >= 7 - <= 10 Melting point/freezing point Not available. Initial boiling point and boiling <212 °F (<100 °C)

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available. Relative density

Solubility(ies)

Easily soluble Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature** <10 mPa·s **Viscosity**

Other information

Density >= 1.00 - <= 1.20 g/cm3

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous None known.

reactions

Conditions to avoid Sunlight. High temperatures.

Incompatible materials None known.

Hazardous decomposition

products

No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

InhalationNot available.Skin contactNot available.Eye contactNot available.IngestionNot available.Introduction of the introduction of the intr

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity Oral 2000<ATE<= 5000 mg/kg

Skin corrosion/irritation

Irritation Corrosion - Skin: P.I.I. value

RICOH Garment Ink Cartridge M Type P1 Result: Non-irritant

Notes: This information is based on toxicity data for similar

materials and ingredients.

Serious eye damage/eye irritation

Irritation Corrosion - Eye

RICOH Garment Ink Cartridge M Type P1 Result: Non-irritant

Notes: This information is based on toxicity data for similar

materials and ingredients.

Respiratory or skin sensitization

Skin sensitization

Skin sensitization

RICOH Garment Ink Cartridge M Type P1 Result: Non-skinsensitive

Notes: OECD Guidelines No.406 Buehler Test

Germ cell mutagenicity Not available.

Germ cell mutagenicity: Ames test

RICOH Garment Ink Cartridge M Type P1 Result: Megative

Notes: Results of an assay using five bacterial strains and six concentrations. Not conducted dose range-finding test.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available.

Specific target organ toxicity - Not available.

single exposure

Not available.

Specific target organ toxicity - repeated exposure

Aspiration hazard Not available.

12. Ecological information

Ecotoxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Persistence and degradability

Bioaccumulative potential

Not available.

Not available.

Material name: RICOH Garment Ink Cartridge M Type P1 342817 Version #: 01 Issue date: 03-03-2023

Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

Toxic Substances Control Act (TSCA)

Toxic Substances Control

Toxic Substances Control Act (TSCA) Section 4(a) Final Test Rules & Testing Consent Orders (40 CFR 799, Subpts B-D) Aceton (CAS 67-64-1)

Diethylene glycol monobutyl ether (CAS 112-34-5)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetone (CAS 67-64-1)

Diethylene glycol monobutyl ether (CAS 112-34-5)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|-----------------------------------|------------|----------|--|
| Diethylene glycol monobutyl ether | 112-34-5 | 1-5 | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Diethylene glycol monobutyl ether (CAS 112-34-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Acetone (CAS 67-64-1) 6532

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Acetone (CAS 67-64-1) 35 %WV

DEA Exempt Chemical Mixtures Code Number

Acetone (CAS 67-64-1) 6532

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Acetone (CAS 67-64-1) Low priority

Material name: RICOH Garment Ink Cartridge M Type P1 342817 Version #: 01 Issue date: 03-03-2023

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Acetone (CAS 67-64-1)

Diethylene glycol monobutyl ether (CAS 112-34-5)

16. Other information, including date of preparation or last revision

Issue date 03-03-2023

Version # 01

References ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

HSDB® - Hazardous Substances Data Bank

Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of

Classification and Labelling of Chemicals (GHS)"

JIS Z 7253:2019 Hazard communication of chemicals based on GHS - Labelling and Safety Data

Sheet (SDS)

Taiwan. OELs. (Standards on Workplace Atmosphere of Dangerous and Hazardous Materials)

National Toxicology Program (NTP) Report on Carcinogens

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer Not available.

Material name: RICOH Garment Ink Cartridge M Type P1 342817 Version #: 01 Issue date: 03-03-2023